AMENDMENTS TO CLAIMS

Please replace all prior versions and listings of claims in the Application with the following Listing of Claims.

Listing of Claims

 (Currently Amended) A method for providing location data of [[a]] mobile device devices using a web service, comprising:

pelling, by the web service, the mobile device to previde location data;

receiving first location data and second location data at the web service

respectively associated with and transmitted by the a first mobile device and a second mobile device:

receiving a location request from a client at the web service, the location request including comprising information identifying the first mobile device and the client, a monitoring request and a criteria for comparing the first location data, the criteria comprising a determination of a location of the first mobile device within a specified distance of a second mobile device based on the first location data and the second location data:

sending a permission request to the <u>first</u> mobile device in response to the received location request; and

providing access to the location data associated with <u>first</u> the mobile device based on a response by the <u>first</u> mobile device to the permission request;

periodically receiving additional location data associated with the mobile device; comparing the received location data associated with the mobile device to the criteria; and

automatically communicating an alert to the client in response to the location data satisfying the criteria.

2. (Original) The method of Claim 1, the location data comprising a geographic location and a time stamp.

- (Currently Amended) The method of Claim 1 further comprising determining request permissions associated with the <u>first</u> mobile device based on the identified client.
- 4-5. (Canceled).
- (Currently Amended) The method of Claim 5, the criteria <u>further</u> comprising first the mobile device arriving at a location.
- (Canceled).
- 8. (*Currently Amended*) The method of Claim 5, the criteria <u>further</u> comprising the first mobile device crossing a geographic perimeter.
- (Currently Amended) The method of Claim 1, the response <u>further</u> comprising a route that the first mobile device travels between a first and a second location.
- 10. (Currently Amended) The method of Claim 1, the response <u>further</u> comprising a speed that the first mobile device travels over a period of time.
- 11. (Canceled)
- 12. (Currently Amended) A computer readable medium containing computer-executable instructions for providing location data of [[a]] mobile device devices using a web service, the instructions operable when executed on a computing device to:

pell, by the web-service, the mebile device to provide location data;

receive <u>first</u> location data <u>and second location data</u> at the web service

respectively associated with and transmitted by the <u>a first</u> mobile device <u>and a second</u>

mobile device;

receive a location request from a client at the web service, the location

request including comprising information identifying the first mobile device and the client, a monitoring request and a criteria for comparing the first location data, the criteria comprising a determination of a location of the first mobile device within a specified distance of a second mobile device based on the first location data and the second location data;

send a permission request to the <u>first</u> mobile device in response to the received location request; and

provide access to the location data associated with <u>first</u> the mobile device based on a response by the <u>first</u> mobile device to the permission request;

periodically receive additional location data associated with the mobile device; compare the received location data associated with the mobile device to the criteria: and

automatically communicate an alert to the client in response to the location data satisfying the criteria.

- 13. (*Previously Presented*) The computer readable medium of Claim 12, wherein the location data includes a geographic location and a time stamp.
- 14. (Currently Amended) The computer readable medium of Claim 12 further operable to determine request permissions associated with the <u>first</u> mobile device based on the identified client.

15-16. (Canceled).

- 17. (Currently Amended) The computer readable medium of Claim 16, the criteria further comprising the first mobile device arriving at a location.
- 18. (Canceled).
- 19. (*Currently Amended*) The computer readable medium of Claim 16, the criteria further comprising the first mobile device crossing a geographic perimeter.

(Currently Amended) The computer readable medium of Claim 12, the
response <u>further</u> comprising a route that the <u>first</u> mobile device travels over a period of
time.

- (Currently Amended) The computer readable medium of Claim 12, the
 response <u>further</u> comprising a speed that the <u>first</u> mobile device travels between a first
 and a second location.
- 22. (Canceled)
- 23. (Currently Amended) A system for providing location data of [[a]] mobile device devices using a web service, comprising:

memory operable to store information associated with a plurality of network devices in the enterprise network; and

one or more processors collectively operable to:

pell, by the web service, the mebile device to provide location data;
receive <u>first</u> location data <u>and second location data</u> at the web service <u>respectively</u> associated with and transmitted by the <u>a first</u> mobile device <u>and a</u> second mobile device. [f:1]

receive a location request from a client at the web service, the location request including comprising information identifying the <u>first</u> mobile device and the client, a monitoring request and a criteria for comparing the first location data, the criteria comprising a determination of a location of the first mobile device within a specified distance of a second mobile device based on the first location data and the second location data, [[:]]

send a permission request to the <u>first</u> mobile device in response to the received location request, [[:]]

provide access to the location data associated with <u>first</u> the mobile device based on a response by the <u>first</u> mobile device to the permission request,

periodically receive additional location data associated with the mobile device.

compare the received location data associated with the mobile device to the criteria, and

automatically communicate an alert to the client in response to the location data satisfying the criteria.

- 24. (*Original*) The system of Claim 23, the location data comprising a geographic location and a time stamp.
- (Currently Amended) The system of Claim 23, further comprising the
 processors operable to determine request permissions associated with the <u>first</u> mobile
 device based on the identified client.

26-27.(Canceled).

- 28. (*Currently Amended*) The system of Claim 27, the criteria <u>further</u> comprising the <u>first</u> mobile device arriving at a location.
- 29. (Canceled).
- 30. (*Currently Amended*) The system of Claim 27, the criteria <u>further</u> comprising the <u>first</u> mobile device crossing a geographic perimeter.
- 31. (*Currently Amended*) The system of Claim 23, the response <u>further</u> comprising a route that the <u>first</u> mobile device travels over a period of time.
- 32. (Currently Amended) The system of Claim 23, the response <u>further</u> comprising a speed that the first mobile device travels between a first and a second location.

33-34. (Canceled).

35. (*Currently Amended*) A method for providing location data of a mobile device using a web service, comprising:

polling, by the web service, the mobile device to provide location data; receiving location data at the web service associated with and transmitted by the mobile device:

receiving a location request from a client at the web service, the location request including information identifying the mobile device and the client;

authorizing, at the web service, the client to access the location data based at least in part on the identified mobile device and the client; and providing the client with the location data.

36. (*Previously Presented*) The method of claim 35, wherein polling by the web service is pre-defined and controlled by a polling configuration profile.